Author index of volume 343

A

Abrahamsen J, 161
Adell A, 237
Adem A, 123
Adojaan A, 301
Alberola A, 505
Alberti U, 538
Alving K, 37
Amenta F, 21
Anagnostopoulos T, 511
Angus JA, 519
Apparsundaram S, 21
Arenson MS, 128
Armstrong RA, 458
Artigas F, 237
Aupetit JF, 645
Azevedo I, 633

B

Baer HP, 365
Baker GB, 478
Baron E, 7
Bártfai Z, 393
Barzizza A, 229
Bauer V, 58
Baxter GS, 439
Bazzani C, 427
Beckeringh JJ, 496
Beltman W, 252
Berg S, 1
Bertaccini G, 225
Bertolini A, 427
Biggio G, 296
Bizzi A, 483
Bockaert J, 245
Bönisch H, 334
Boer R, 7
Bohnert M, 96
Borges N, 633
Braunsteiner H, 665
Breil I, 217
Bültmann R, 623
Bull DR, 260
Burns F, 337
Busse R, 96

C

Caccia S, 483
Camilión de Hurtado MC, 603
Carlsson A, 568
Carlsson M, 568
Carrón R, 638
Casteels R, 580
Chahl LA, 283
Chiodo LA, 447
Cingolani HE, 603
Clarke ED, 439
Codegoni A, 483
Concas A, 296
Connell LA, 344
Copeland JR, 123
Coppeneur D, 334
Cortijo J, 418
Coruzzi G, 225
Coutts RT, 478
Craig DA, 439
Csikós T, 595

D

Daas Iden, 134
Dabauvalle MC, 334
Dan T, 532
Deicher R, 353
Delpón E, 638
Diego A de, 418
Diener M, 652
Donker AJM, 143
Droogmans G, 580
Dumuis A, 245

E

Eltze, M, 7
Elzinga CRS, 252
Endoh M, 669
Engberg G, 472
Eriksson E, 472
Ervens J, 370
Eschenhagen T, 609
Esplugues J, 418

F

Faucon G, 645
Fazekas A, 393
Fermum R, 209
Ferrari W, 427
Fink K, 117
Folghera S, 229
Fracasso C, 483
Freeman AS, 447
Freissmuth M, 311
Frittoli E, 483
Furukawa T, 574

G

Garattini S, 483
Geertz B, 217
Gende OA, 603
Gerentes-Chassague I, 645
Gil F, 505
Giles W, 14
Gilst WH van, 491
Ginneken CAM van, 102
Glaser T, 117
Göthert M, 117, 271
Gouw MAM, 463
Graeff PA de, 491
Greiner HE, 588
Groß G, 117
Gruber M, 665
Guarini S, 427
Guimarães S, 616
Guiso G, 483
Gustafsson LE, 52
Györfi A, 393

H

Haan N de, 496
Haase AF, 588
Habermann E, 323
Hajós M, 431
Hanrath P, 217
Harro J, 301
Haverich A, 217
Hedqvist P, 52
Heijn M, 102
Herchuelz A, 90
Hering B, 337
Herold M, 665
Heuer HO, 546
Himpens B, 580
Hjemdahl P, 166
Hofman GA, 330
Holzer P, 58
Horn AS, 134
Hottenstein OD, 179
Hudel M, 323
Hugtenburg JG, 496

I

Illes P, 490
Inagaki N, 190
Irisawa H, 14
Ito Y, 58
Izumi F, 289

J

Jacob P, 123
Jakob G, 393
Jacobson ED, 179
Jancsó G, 431
Jansen JM, 134
Johnston PA, 283

K

Kahan T, 166
Kaibara M, 14
Katsuragi T, 574
Keily SG, 519
Kelland MD, 447
Keller B, 546
Kennedy JA, 266
Kihara M, 46, 317
Kiivet RA, 301
Kioueh I, 645
Kitazawa T, 525
Klausmair A, 155
Klotz KN, 196
Koga H, 532
Kokubun S, 405
Kosche D, 209
Koster ASJ, 330
Kreye VAW, 70
Krieglstein J, 559
Kromer W, 7
Kropf W, 559
Ksoll E, 377, 384
Kubo T, 46, 317
Kügelgen I von, 623
Kuschinsky K, 559
Kvaltinova Z, 344

L

Ladinsky H, 245
Laet RC de, 102
Langen CDJ de, 491
Larsson LG, 1
Lebrun P, 90
Lenz T, 70
Limberger N, 353
Lin MT, 551
Lindbom L, 52
Lingen B, 334
Lo HB, 217
Löser S, 83
Lokhandwala MF, 21
Loufoua-Moundanga J, 645
Lucas ML, 659
Lückhoff A, 96
Lundberg JM, 37
Lutz F, 538

M

Mackert JRL, 377, 384
Mari Z, 431
Mascia MP, 296
Mathy MJ, 496
Matran R, 37
Matthijs G, 202
Maura G, 229
McKenna KF, 478
McKie AT, 659
McPherson GA, 519
Meijer S, 143
Mende U, 609
Mennini T, 483
Misu Y, 46
Mochizuki T, 190
Möritz KU, 209
Molderings GJ, 271
Monferini E, 245
Moorji A, 365
Morcillo E, 418
Morcillo EJ, 505
Moura D, 616

N

Nakajima T, 14
Nedergaard OA, 161
Nicola M, 245
Nijkamp FP, 542
Nörenberg W, 108
Noordhoek J, 330
Nordberg A, 123
Nordlander MIL, 411
Norota I, 669
Nose M, 609
Nunes P, 616
Nussberger J, 166

O

Obál F Jr, 431
Öhlén A, 52
Oishi R, 185
Okakura K, 190
Okamura T, 221
Okazaki M, 289
Onuma E, 532
Ortiz JL, 418

P

Padura IM, 483
Palatý V, 149
Panten U, 83
Parsons AA, 377, 384
Pawlik WW, 179
Peeters TL, 202
Peng HC, 399
Pereira O, 616
Pérez-Vizcaino F, 638
Peroutka SJ, 109
Persson MG, 52
Philippu A, 155, 307
Pitts DK, 447
Plasman PO, 90
Pósch E, 393
Prast H, 307

R

Racké K, 337
Rägo L, 301
Raiteri M, 229
Redegeld FAM, 330
Reitsma WD, 143
Remak G, 179
Rényi L, 1
Reupcke C, 217
Ricci A, 21
Rietz I, 83
Roffel AF, 252
Rollema H, 134
Rooney KF, 458
Rosivall L, 393
Ross SB, 1
Rummel W, 652
Russel FGM, 102

S

Saeki K, 185
Saigusa A, 405
Sanders G, 334
Sanna E, 296
Santoro G, 296
Sanz C, 418
Sarmento A, 633
Satoh K, 76
Schilling L, 377, 384
Schlicker E, 117
Schmitz W, 217, 609
Scholz H, 217, 609
Schütz W, 311
Schultz G, 370
Schwanstecher M, 83
Schwartz JC, 225
Schwieler JH, 166
Schwietert HR, 463
Sebben M, 245
Seifert R, 370
Serignese V, 365
Serra M, 296
Sewell RDE, 458
Seyfried CA, 588
Sheehan MJ, 260
Shishido S, 185
Sigmund M, 217
Singer EA, 311
Singewald N, 155
Sleight AJ, 109
Smit AJ, 143
Sohtell MEH, 411
Sommer M, 337
Spierenburg H, 595
Starke K, 353, 623
Steinfath M, 217
Stewart W, 659
Story DF, 31
Ströher M, 311
Struckmeier M, 538
Such L, 505
Svensson A, 568
Svensson BE, 1
Svensson LET, 411
Swart PJ, 134

T

Taddei C, 483
Tagliavini S, 427
Taira N, 76
Takanashi M, 669
Takemura M, 190
Tamargo J, 638
Tamura T, 405
Tanaka H, 532
Tawfik-Schlieper H, 196
Teng CM, 399
Tepper PG, 134
Terao T, 289
Terzic A, 511
Thalén PG, 411
Theiss U, 70
Thorell G, 1
Tilg H, 665
Timour Q, 645
Tintelen EJJ van, 252
Tio RA, 491
Toda N, 221
Turconi M, 245

U

Uezono Y, 289
Urich K, 546
Uslenghi A, 483
Usune S, 574

V

Valenta B, 311
Valenzuela C, 638
Van Belle H, 365
Van Oosterhout AJM, 542
Vantrappen G, 202
Vaz-da Silva MJ, 616
Versteeg DHG, 595
Vizi ES, 435
Vogel SM, 511
Vogel W, 665
Vogt H, 196
Vries JBde, 134
Vyas SJ, 21

W

Wada A, 289
Wada H, 190
Wahl M, 377, 384
Waldmeier PC, 173
Wallis DI, 344
Wang JP, 399
Warnholtz A, 609
Weller U, 323
Wesseling H, 143, 491
Wiedermann CJ, 665
Wiedermann FJ, 665
Wijngaarden J van, 491
Wilffert B, 463
Wilhelm D, 463
Wohlfarter T, 665
Won SJ, 551
Woodman OL, 65
Woutersen-Van Nijnanten FMA, 542
Wüstel JM, 609

X

Xiong G, 538

Y

Yamada H, 76
Yamatodani A, 190
Yanagihara N, 289
Yoshida K, 221

Z

Zaagsma J, 252
Zaragoza R, 505
Zilian U, 665
Ziogas J, 31
Zwieten PA van, 463, 496

Subject index of volume 343

A

AA-193, urate reabsorption, uricosuric agents; kidney, rats, 532
AaaaACE-inhibitors, coronary vasodilation, prostaglandins; rat heart, 491
acetylcholine, calcium antagonists, calcium; ileum, guinea-pig, 58
acetylcholine, phasic contraction, ouabain, veratridine; taenia coli, guinea-pig, 574
acetylcholine release, alpha 1-adrenoceptors, neuromuscular junction; phrenicus-hemidiaphragma, mice, 435
acetylcholine release, endplate potential, neuromuscular transmission, muscarinic autoinhibition; sartorius muscle, frog, 128
acid secretion, telenzepine, muscarine receptors, antimuscarinics; stomach, mice, 7
adenosine A1-receptors, species differences; brain membranes, different species, 196
adenosine receptors, noradrenaline release, pertussis toxin; papillary muscle, ginea-pig, 311
adenosine receptors, post-exercise hyperemia, microcirculation, vasodilation; skeletal muscle, 52
adenosine transport inhibitors, mioflazine derivatives, host protection; mice, hamsters, 365
adenylate cyclase, cAMP, 5-HT receptors, azabicycloalkyl benzimidazolone derivatives; colliculi neuron cultures, mice, 245
adrenergic nerve endings, Ca-channel activator, Bay K 8644; atria, rats, 603
adrenergic storage vesicles, ATP, cocaine, rat tail artery, 149
adrenoceptors, noradrenaline; canine saphenous vein, 616
adrenoceptors, vasoconstriction, nicotine; coronary vessels, dog, 65
affinity, 5-HT receptors, pharmacophore; chemical database screening, 109
airway hyperreactivity, T-lymphocytes, endotoxin, cyclosporin A; trachea, guinea-pig, 542
akinesia, Parkinson's disease, atropine, clonidine; locomotion, mice, 568
alanine, aminobutyric acid, N2-acetylphenelzine; rats, 478
alpha 1-adrenoceptor subtypes, phasic contraction, tonic contraction; rat, portal vein, 463
alpha 2-adrenoceptors, EEDQ; locus coeruleus, rats, 472
alpha 1-adrenoceptors, inotropism, phosphoinositide hydrolysis, chlorethylclonidine; papillary muscles, rabbit, 669
alpha 1-adrenoceptors, neuromuscular junction, acetylcholine release; phrenicus-hemidiaphragma, mice, 435
alpha 2-adrenoceptors, UK 14.304, cotransmission, neuropeptide Y; vas deferens, mice, 623
alpha-adrenoceptor blockade, natriuresis, renal hemodynamics, dopamine; normal volunteers, 143
alpha-adrenoceptors, noradrenaline, 5-hydroxyindoleacetic acid; pineal gland, rats, 337
alpha-adrenoceptors, noradrenaline release, imidazoline receptors; pulmonary artery, aorta, rabbit, 271
alpha-adrenoceptors, ouabain cardiotoxicity, hexamethyleneamiloride; rat heart, 511
alpha-adrenoceptors, pinocytosis, blood-brain barrier, permeability; cerebral ventricles, rats, 633
amino acid receptors, aortic baroreceptor reflex, kynurenate; nucleus tractus solitarii, rats, 317
amino acid receptors, kynurenate, baroreceptor reflex; medulla, rats, 46
aminobutyric acid, N2-acetylphenelzine, alanine; rats, 478
aminotetralins, prodrug, N-0437, dopamine agonist; brain, rats, 134
angiotensin 2, noradrenergic transmission, beta-adrenoceptors; vena cava, rats, 31
angiotensin converting enzyme, renin-angiotensin system, neurotransmission; skeletal muscle, dog, 166
anorectics, serotonin, d-fenfluramine; mice, rats, guinea-pigs, 483
antiarrhythmic drugs, flecainide, propafenone, cibenzoline, ischaemia; pig heart, 645
antidepressants, upstroke velocity, (S)-nafenodone, sodium current; papillary muscles, guinea-pig, 638
antiepileptic action, valproate, t-S-butyl-bicyclophosphorothionate, GABAergic transmission; cerebral cortex, rats, 296
antimuscarinics, acid secretion, telenzepine, muscarine receptors; stomach, mice, 7
anxiety, benzodiazepine binding sites; behavioural differences, rats, 301
aortic baroreceptor reflex, kynurenate, amino acid receptors; nucleus tractus solitarii, rats, 317
apomorphine, conditioning, stereotypia; EEG, behaviour, rats, 559
aspartate, 5-hydroxytryptamine receptor subtypes; cerebellum slices, rats, 229
ATP, cocaine, adrenergic storage vesicles; rat tail artery, 149
atropine, clonidine, akinesia, Parkinson's disease; locomotion, mice, 568
azabicycloalkyl benzimidazolone derivatives, adenylate cyclase, cAMP, 5-HT receptors; colliculi neuron cultures, mice, 245

B

baclofen, CGP 35348, GABA antagonists, dopamine synthesis; striatum, rats, 173
baroreceptor reflex, amino acid receptors, kynurenate; medulla, rats, 46
baroreceptors, catecholamines, carotid occlusion; nucleus tractus solitarii, cats, 155
Bay K 8644, adrenergic nerve endings, Ca-channel activator; atria, rats, 603
BAY K 8644, calcium channels, nifedipine; pancreatic islet cells, rats, 90
benzoates, organic anion transport, p-aminohippurate transport; kidney, dog, 102
benzodiazepine binding sites, anxiety; behavioural differences, rats, 301
bepafant, platelet-activating factor, structure-activity relationship; rats, guinea-pig, 546
beta 2 adrenoceptors, renal function, dopexamine, dopamine 1 receptors; kidney, rats, 21
beta-adrenergic stimulation, desensitization, G-protein, mRNA; heart, rats, 609
beta-adrenoceptor antagonists, isamoltane, 5-HT receptors, 5-HT turnover, 5-HT syndrome; brain, rats, 1
beta-adrenoceptor subtypes, heart diseases, down-regulation; human myocardium, 217
beta-adrenoceptors, angiotensin 2, noradrenergic transmission; vena cava, rats, 31
beta-adrenoceptors, noradrenaline release; ear artery, rabbit, 161
blood-brain barrier, permeability, alpha-adrenoceptors, pinocytosis; cerebral ventricles, rats, 633
brain natriuretic peptide, cGMP, tyrosine hydroxylase; bovine adrenal medullary cells, 289

C

Ca-channel activator, Bay K 8644, adrenergic nerve endings; atria, rats, 603
calcium, acetylcholine, calcium antagonists; ileum, guinea-pig, 58
calcium, motilin, erythromycin derivatives, motilide; duodenum, rabbit, 202
calcium, noradrenaline release, 5-HT release; periaqueductal gray slices, rats, 595
calcium, potassium channel openers, nitrovasodilators, nicorandil; vascular smooth muscle, rabbit, 70
calcium, signal transduction; coronary smooth muscle, 209
calcium agonists, muscarinic stimulation, smooth muscle, G-protein, desensitization; ileum, guinea-pig, 580
calcium antagonists, calcium, acetylcholine; ileum, guinea-pig, 58
calcium antagonists, ischaemia, nucleoside transport inhibition; heart, guinea-pig, 496
calcium channels, nifedipine, BAY K 8644; pancreatic islet cells, rats, 90
calcium channels, slow onset of action, NZ-105, dihydropyridines; smooth muscle cell culture, rats, 405

calmodulin antagonists, thrombin, platelet aggregation; washed human platelets, 96
cAMP, 5-HT receptors, azabicycloalkyl benzimidazolone derivatives, adenylate cyclase; colliculi neuron cultures, mice, 245
cAMP, serotonin release, neuropeptide Y, NPY receptors; brain cortex, rats, 117
capsaicin, sensory nerves, sympathoadrenal activation; pig, 37
capsaicin, sensory nerves, vasoactive peptides, vascular tone; intestinal circulation, rats, 179
capsaicin irritation, inflammation, denervation; mandibular mucosa, rats, 393
capsaicin-sensitive neurons, ruthenium red, thermoregulation; intracerebroventricular injection, rats, 431
carmoxirole, dopamine receptors, 1-DOPA accumulation; rotational behaviour, rats, 588
carotid occlusion, baroreceptors, catecholamines; nucleus tractus solitarii, cats, 155
catechol oestrogens, O-methylation, catecholamines; uteri, rabbit, 266
catecholamines, carotid occlusion, baroreceptors; nucleus tractus solitarii, cats, 155
catecholamines, catechol oestrogens, O-methylation; uteri, rabbit, 266
cGMP, superoxide formation, chemoattractant receptors; human neutrophils, 370
cGMP, tyrosine hydroxylase, brain natriuretic peptide; bovine adrenal medullary cells, 289
CGP 35348, GABA antagonists, dopamine synthesis, baclofen; striatum, rats, 173
chemoattractant receptors, cGMP, superoxide formation; human neutrophils, 370
chlorethylclonidine, alpha 1-adrenoceptors, inotropism, phosphoinositide hydrolysis; papillary muscles, rabbit, 669
cibenzoline, ischaemia, antiarrhythmic drugs, flecainide, propafenone; pig heart, 645
clomipramine, 5-hydroxytryptamine uptake; raphe nuclei, frontal cortex, rats, 237
clonidine, akinesia, Parkinson's disease, atropine; locomotion, mice, 568
cocaine, adrenergic storage vesicles, ATP; rat tail artery, 149
conditioning, stereotypia, apomorphine; EEG, behaviour, rats, 559
contraction, cooling; trachea, guinea-pig, 418
cooling, contraction; trachea, guinea-pig, 418
coronary vasodilation, prostaglandins, ACE-inhibitors; rat heart, 491
cotransmission, neuropeptide Y, alpha 2-adrenoceptors, UK 14.304; vas deferens, mice, 623
cromakalim, glibenclamide, potassium channel openers, vasorelaxation; cerebral arteries, cat, rabbit, rats, 384
cromakalin, spasmolytic effect, K-channels; coronary artery, dog, 519
cyclosporin A, airway hyperreactivity, T-lymphocytes, endotoxin; trachea, guinea-pig, 542
cytotoxin, gene deletion; pseudomonas, 538

D

denervation, capsaicin irritation, inflammation; mandibular mucosa, rats, 393
desensitization, calcium agonists, muscarinic stimulation, smooth muscle, G-protein; ileum, guinea-pig, 580
desensitization, G-protein, mRNA, beta-adrenergic stimulation; heart, rats, 609
d-fenfluramine, anorectics, serotonin; mice, rats, guinea-pigs, 483
diazoxide, sulfonylurea receptors, protein phosphorylation, glibenclamide; pancreatic islets, mice, 83
dihydropyridines, calcium channels, slow onset of action, NZ-105; smooth muscle cell culture, rats, 405
dihydropyridines, felodipine, renal ischemia; renal artery occlusion, rats, 411
1-DOPA accumulation, carmoxirole, dopamine receptors; rotational behaviour, rats, 588
dopamine, alpha-adrenoceptor blockade, natriuresis, renal hemodynamics; normal volunteers, 143
dopamine, opioid agonists; striatum, rats, 458
dopamine 1 receptors, beta 2 adrenoceptors, renal function, dopexamine; kidney, rats, 21
dopamine 1 receptors, SKF 38393; rats, 447
dopamine agonist, aminotetralins, prodrug, N-0437; brain, rats, 134
dopamine receptors, 1-DOPA accumulation, carmoxirole; rotational behaviour, rats, 588
dopamine receptors; brain slices, voltammetry, rats, 260
dopamine synthesis, baclofen, CGP 35348, GABA antagonists; striatum, rats, 173
dopexamine, dopamine 1 receptors, beta 2 adrenoceptors, renal function; kidney, rats, 21
down-regulation, beta-adrenoceptor subtypes, heart diseases; human myocardium, 217

E

EEDQ, alpha 2-adrenoceptors; locus coeruleus, rats, 472
endotoxin, cyclosporin A, airway hyperreactivity, T-lymphocytes; trachea, guinea-pig, 542
endplate potential, neuromuscular transmission, muscarinic autoinhibition, acetylcholine release; sartorius muscle, frog, 128
Eratum, 108
erythromycin derivatives, motilide, calcium, motilin; duodenum, rabbit, 202

F

felodipine, renal ischemia, dihydropyridines; renal artery occlusion, rats, 411
flecainide, propafenone, cibenzoline, ischaemia, antiarrhythmic drugs; pig heart, 645

G

GABA antagonists, dopamine synthesis, baclofen, CGP 35348; striatum, rats, 173
GABAergic transmission, antiepileptic action, valproate, t-S-butylbicyclophosphorothionate; cerebral cortex, rats, 296
gastric acid secretion, thioperamide, secretagogues, histamine H3-receptors; gastric fistula, conscious rats, 225
gene deletion, cytotoxin; pseudomonas, 538
glibenclamide, diazoxide, sulfonylurea receptors, protein phosphorylation; pancreatic islets, mice, 83
glibenclamide, potassium channel openers, nicorandil, nitrate; coronary arteries, dog, 76
glibenclamide, potassium channel openers, vasorelaxation, cromakalim; cerebral arteries, cat, rabbit, rats, 384
G-protein, desensitization, calcium agonists, muscarinic stimulation, smooth muscle; ileum, guinea-pig, 580
G-protein, mRNA, beta-adrenergic stimulation, desensitization; heart, rats, 609

H

H1-antagonists, monoamine metabolism, histamine H1-receptors; brain, mice, 185
haemodynamics, ischaemia, N-acetylcystein, myocardial damage; canine heart, 505
heart diseases, down-regulation, beta-adrenoceptor subtypes; human myocardium, 217
hexamethyleneamiloride, alpha-adrenoceptors, ouabain cardiotoxicity; rat heart, 511
histamine, hypertension, histidine decarboxylase; spontaneously hypertensive rats, 307
histamine, neurotransmitter release; microdialysis, rat hypothalamus, 190
histamine H3-receptors, gastric acid secretion, thioperamide, secretagogues; gastric fistula, conscious rats, 225
histamine H1-receptors, H1-antagonists, monoamine metabolism; brain, mice, 185
histidine decarboxylase, histamine, hypertension; spontaneously hypertensive rats, 307
host protection, adenosine transport inhibitors, mioflazine derivatives; mice, hamsters, 365
5-HT 4 receptors; oesophageal muscularis mucosae, rats, 439

5-HT autoreceptors; species differences, 353
5-HT receptors, azabicycloalkyl benzimidazolone derivatives, adenylate cyclase, cAMP; colliculi neuron cultures, mice, 245
5-HT receptors, 5-HT turnover, 5-HT syndrome, beta-adrenoceptor antagonists, isamoltane; brain, rats, 1
5-HT receptors, 5-hydroxytryptamine, motoneurons; spinal cord, rats, 344
5-HT receptors, pharmacophore, affinity; chemical database screening, 109
5-HT release, calcium, noradrenaline release; periaqueductal gray slices, rats, 595
5-HT syndrome, beta-adrenoceptor antagonists, isamoltane, 5-HT receptors, 5-HT turnover; brain, rats, 1
5-HT turnover, 5-HT syndrome, beta-adrenoceptor antagonists, isamoltane, 5-HT receptors; brain, rats, 1
5-hydroxyindoleacetic acid, alpha-adrenoceptors, noradrenaline; pineal gland, rats, 337
5-hydroxytryptamine, motoneurons, 5-HT receptors; spinal cord, rats, 344
5-hydroxytryptamine receptor subtypes, aspartate; cerebellum slices, rats, 229
5-hydroxytryptamine uptake, clomipramine; raphe nuclei, frontal cortex, rats, 237
hypertension, histidine decarboxylase, histamine; spontaneously hypertensive rats, 307
hypovolemic shock, nicotine; hemorrhage, rats, 427

I

imidazoline receptors, alpha-adrenoceptors, noradrenaline release; pulmonary artery, aorta, rabbit, 271
inflammation, denervation, capsaicin irritation; mandibular mucosa, rats, 393
inflammatory mediators, mast cell degranulation, snake venom; paw edema, rats, 399
inotropism, phosphoinositide hydrolysis, chlorethylclonidine, alpha 1-adrenoceptors; papillary muscles, rabbit, 669
interferon-alpha, thyroid function, neuroimmunomodulation; endocrinium, man, 665
isamoltane, 5-HT receptors, 5-HT turnover, 5-HT syndrome, beta-adrenoceptor antagonists; brain, rats, 1
ischaemia, antiarrhythmic drugs, flecainide, propafenone, cibenzoline; pig heart, 645
ischaemia, N-acetylcystein, myocardial damage, haemodynamics; canine heart, 505
ischaemia, nucleoside transport inhibition, calcium antagonists; heart, guinea-pig, 496

K

K-channels, cromakalin, spasmolytic effect; coronary artery, dog, 519
kynurenate, amino acid receptors, aortic baroreceptor reflex; nucleus tractus solitarii, rats, 317
kynurenate, baroreceptor reflex, amino acid receptors; medulla, rats, 46

M

mast cell degranulation, snake venom, inflammatory mediators; paw edema, rats, 399
melittin, phospholipase A2, prostaglandins, tetradotoxin; colon, rats, 652
microcirculation, vasodilation, adenosine receptors, post-exercise hyperemia; skeletal muscle, 52
mioflazine derivatives, host protection, adenosine transport inhibitors; mice, hamsters, 365
monoamine metabolism, histamine H1-receptors, H1-antagonists; brain, mice, 185
morphine withdrawal, substance P, tachykinin antagonists; locomotor activity, guinea-pig, 283
motilide, calcium, motilin, erythromycin derivatives; duodenum, rabbit, 202
motilin, erythromycin derivatives, motilide, calcium; duodenum, rabbit, 202
motoneurons, 5-HT receptors, 5-hydroxytryptamine; spinal cord, rats, 344
mRNA, beta-adrenergic stimulation, desensitization, G-protein; heart, rats, 609
muscarine receptors, antimuscarinics, acid secretion, telenzepine; stomach, mice, 7
muscarinic autoinhibition, acetylcholine release, endplate potential, neuromuscular transmission; sartorius muscle, frog, 128
muscarinic receptors, potassium channel, N-ethylmaleimide; heart, rabbit, 14
muscarinic receptors, quarternary anticholinergics; bovine tracheal smooth muscle, 252
muscarinic stimulation, smooth muscle, G-protein, desensitization, calcium agonists; ileum, guinea-pig, 580
myocardial damage, haemodynamics, ischaemia, N-acetylcystein; canine heart, 505

N

N-0437, dopamine agonist, aminotetralins, prodrug; brain, rats, 134
N-acetylcystein, myocardial damage, haemodynamics, ischaemia; canine heart, 505
N2-acetylphenelzine, alanine, aminobutyric acid; rats, 478
1-naphthol, p-aminohippuric acid, renal extraction ratio; kidney, rats, 330
natriuresis, renal hemodynamics, dopamine, alpha-adrenoceptor blockade; normal volunteers, 143
N-ethylmaleimide, muscarinic receptors, potassium channel; heart, rabbit, 14
neuroimmunomodulation, interferon-alpha, thyroid function; endocrinium, man, 665
neuromuscular junction, acetylcholine release, alpha 1-adrenoceptors; phrenicus-hemidiaphragma, mice, 435
neuromuscular transmission, muscarinic autoinhibition, acetylcholine release, endplate potential; sartorius muscle, frog, 128
neuropeptide Y, alpha 2-adrenoceptors, UK 14.304, cotransmission; vas deferens, mice, 623
neuropeptide Y, NPY receptors, cAMP, serotonin release; brain cortex, rats, 117
neurotransmission, angiotensin converting enzyme, renin-angiotensin system; skeletal muscle, dog, 166
neurotransmission, vasodilation, N-nitro-L-arginine, nitric oxide; temporal artery, dog, 221
neurotransmitter release, histamine; microdialysis, rat hypothalamus, 190
nicorandil, calcium, potassium channel openers, nitrovasodilators; vascular smooth muscle, rabbit, 70
nicorandil, nitrate, glibenclamide, potassium channel openers; coronary arteries, dog, 76
nicotine, adrenoceptors, vasoconstriction; coronary vessels, dog, 65
nicotine, hypovolemic shock; hemorrhage, rats, 427
nicotine, nornicotine stereoisomers, nicotinic receptors; brain cortex, rats, 123
nicotinic receptors, nicotine, nornicotine stereoisomers; brain cortex, rats, 123
nifedipine, BAY K 8644, calcium channels; pancreatic islet cells, rats, 90
nitrate, glibenclamide, potassium channel openers, nicorandil; coronary arteries, dog, 76
nitric oxide, neurotransmission, vasodilation, N-nitro-L-arginine; temporal artery, dog, 221
nitrovasodilators, nicorandil, calcium, potassium channel openers; vascular smooth muscle, rabbit, 70
N-nitro-L-arginine, nitric oxide, neurotransmission, vasodilation; temporal artery, dog, 221
noradrenaline, adrenoceptors; canine saphenous vein, 616
noradrenaline, 5-hydroxyindoleacetic acid, alpha-adrenoceptors; pineal gland, rats, 337
noradrenaline release, beta-adrenoceptors; ear artery, rabbit, 161
noradrenaline release, 5-HT release, calcium; periaqueductal gray slices, rats, 595
noradrenaline release, imidazoline receptors, alpha-adrenoceptors; pulmonary artery, aorta, rabbit, 271
noradrenaline release, pertussis toxin, adenosine receptors; papillary muscle, ginea-pig, 311
noradrenaline release, proteolysis, tetanus toxin; brain, mice, spinal cord, rats, 323
noradrenaline transport, noradrenaline uptake; oocytes, *xenopus laevis*, 334
noradrenaline uptake, noradrenaline transport; oocytes, *xenopus laevis*, 334

noradrenergic transmission, beta-adrenoceptors, angiotensin 2; vena cava, rats, 31
nornicotine stereoisomers, nicotinic receptors, nicotine; brain cortex, rats, 123
NPY receptors, cAMP, serotonin release, neuropeptide Y; brain cortex, rats, 117
nucleoside transport inhibition, calcium antagonists, ischaemia; heart, guinea-pig, 496
nucleotide levels, surface pH, surfactants; jejunum, rats, 659
NZ-105, dihydropyridines, calcium channels, slow onset of action; smooth muscle cell culture, rats, 405

O

O-methylation, catecholamines, catechol oestrogens; uteri, rabbit, 266
opioid agonists, dopamine; striatum, rats, 458
organic anion transport, p-aminohippurate transport, benzoates; kidney, dog, 102
ouabain, veratridine, acetylcholine, phasic contraction; taenia coli, guinea-pig, 574
ouabain cardiotoxicity, hexamethylene-amiloride, alpha-adrenoceptors; rat heart, 511

P

p-aminohippurate transport, benzoates, organic anion transport; kidney, dog, 102
p-aminohippuric acid, renal extraction ratio, 1-naphthol; kidney, rats, 330
Parkinson's disease, atropine, clonidine, akinesia; locomotion, mice, 568
permeability, alpha-adrenoceptors, pinocytosis, blood-brain barrier; cerebral ventricles, rats, 633
pertussis toxin, adenosine receptors, noradrenaline release; papillary muscle, ginea-pig, 311
pharmacophore, affinity, 5-HT receptors; chemical database screening, 109
phasic contraction, ouabain, veratridine, acetylcholine; taenia coli, guinea-pig, 574
phasic contraction, tonic contraction, alpha 1-adrenoceptor subtypes; rat, portal vein, 463
phosphoinositide hydrolysis, chlorethylclonidine, alpha 1-adrenoceptors, inotropism; papillary muscles, rabbit, 669
phospholipase A2, prostaglandins, tetradotoxin, melittin; colon, rats, 652
pinocytosis, blood-brain barrier, permeability, alpha-adrenoceptors; cerebral ventricles, rats, 633
platelet aggregation, calmodulin antagonists, thrombin; washed human platelets, 96
platelet-activating factor, structure-activity relationship, bepafant; rats, guinea-pig, 546
polynucleotides, prostaglandins, pyrogenicity; brain, rabbit, 551
post-exercise hyperemia, microcirculation, vasodilation, adenosine receptors; skeletal muscle, 52
potassium channel, N-ethylmaleimide, muscarinic receptors; heart, rabbit, 14
potassium channel openers, nicorandil, nitrate, glibenclamide; coronary arteries, dog, 76
potassium channel openers, nitrovasodilators, nicorandil, calcium; vascular smooth muscle, rabbit, 70
potassium channel openers, spasmolytic activity; cerebral arteries, rats, 377
potassium channel openers, vasorelaxation, cromakalim, glibenclamide; cerebral arteries, cat, rabbit, rats, 384
prodrug, N-0437, dopamine agonist, aminotetralins; brain, rats, 134
propafenone, cibenzoline, ischaemia, antiarrhythmic drugs, flecainide; pig heart, 645
prostaglandins, ACE-inhibitors, coronary vasodilation; rat heart, 491
prostaglandins, pyrogenicity, polynucleotides; brain, rabbit, 551
prostaglandins, tetradotoxin, melittin, phospholipase A2; colon, rats, 652
protein phosphorylation, glibenclamide, diazoxide, sulfonylurea receptors; pancreatic islets, mice, 83
proteolysis, tetanus toxin, noradrenaline release; brain, mice, spinal cord, rats, 323
pyrogenicity, polynucleotides, prostaglandins; brain, rabbit, 551

Q

quarternary anticholinergics, muscarinic receptors; bovine tracheal smooth muscle, 252

R

renal extraction ratio, 1-naphthol, p-aminohippuric acid; kidney, rats, 330
renal function, dopexamine, dopamine 1 receptors, beta 2 adrenoceptors; kidney, rats, 21
renal hemodynamics, dopamine, alpha-adrenoceptor blockade, natriuresis; normal volunteers, 143
renal ischemia, dihydropyridines, felodipine; renal artery occlusion, rats, 411
renin-angiotensin system, neurotransmission, angiotensin converting enzyme; skeletal muscle, dog, 166
ruthenium red, thermoregulation, capsaicin-sensitive neurons; intracerebroventricular injection, rats, 431

S

scyliorhinon, substance P, tachykinin receptors; intestinal muscle, carp, 525
secretagogues, histamine H3-receptors, gastric acid secretion, thioperamide; gastric fistula, conscious rats, 225
sensory nerves, sympatho-adrenal activation, capsaicin; pig, 37
sensory nerves, vasoactive peptides, vascular tone, capsaicin; intestinal circulation, rats, 179
serotonin, d-fenfluramine, anorectics; mice, rats, guinea-pigs, 483
serotonin release, neuropeptide Y, NPY receptors, cAMP; brain cortex, rats, 117
signal transduction, calcium; coronary smooth muscle, 209
SKF 38393, dopamine 1 receptors; rats, 447
slow onset of action, NZ-105, dihydropyridines, calcium channels; smooth muscle cell culture, rats, 405
smooth muscle, G-protein, desensitization, calcium agonists, muscarinic stimulation; ileum, guinea-pig, 580
(S)-nafenodone, sodium current, antidepressants, upstroke velocity; papillary muscles, guinea-pig, 638
snake venom, inflammatory mediators, mast cell degranulation; paw edema, rats, 399
sodium current, antidepressants, upstroke velocity, (S)-nafenodone; papillary muscles, guinea-pig, 638
spasmolytic activity, potassium channel openers; cerebral arteries, rats, 377
spasmolytic effect, K-channels, cromakalin; coronary artery, dog, 519
species differences, adenosine A1-receptors; brain membranes, different species, 196
stereotypia, apomorphine, conditioning; EEG, behaviour, rats, 559
structure-activity relationship, bepafant, platelet-activating factor; rats, guinea-pig, 546
substance P, tachykinin antagonists, morphine withdrawal; locomotor activity, guinea-pig, 283
substance P, tachykinin receptors, scyliorhinon; intestinal muscle, carp, 525
sulfonylurea receptors, protein phosphorylation, glibenclamide, diazoxide; pancreatic islets, mice, 83
superoxide formation, chemoattractant receptors, cGMP; human neutrophils, 370
surface pH, surfactants, nucleotide levels; jejunum, rats, 659
surfactants, nucleotide levels, surface pH; jejunum, rats, 659
sympatho-adrenal activation, capsaicin, sensory nerves; pig, 37

T

tachykinin antagonists, morphine withdrawal, substance P; locomotor activity, guinea-pig, 283
tachykinin receptors, scyliorhinon, substance P; intestinal muscle, carp, 525
telenzepine, muscarine receptors, antimuscarinics, acid secretion; stomach, mice, 7
tetanus toxin, noradrenaline release, proteolysis; brain, mice, spinal cord, rats, 323
tetradotoxin, melittin, phospholipase A2, prostaglandins; colon, rats, 652

thermoregulation, capsaicin-sensitive neurons, ruthenium red; intracerebroventricular injection, rats, 431
thioperamide, secretagogues, histamine H3-receptors, gastric acid secretion; gastric fistula, conscious rats, 225
thrombin, platelet aggregation, calmodulin antagonists; washed human platelets, 96
thyroid function, neuroimmunomodulation, interferon-alpha; endocrinium, man, 665
T-lymphocytes, endotoxin, cyclosporin A, airway hyperreactivity; trachea, guinea-pig, 542
tonic contraction, alpha 1-adrenoceptor subtypes, phasic contraction; rat, portal vein, 463
t-S-butylbicyclophosphorothionate, GABAergic transmission, antiepileptic action, valproate; cerebral cortex, rats, 296
tyrosine hydroxylase, brain natriuretic peptide, cGMP; bovine adrenal medullary cells, 289

U

UK 14.304, cotransmission, neuropeptide Y, alpha 2-adrenoceptors; vas deferens, mice, 623
upstroke velocity, (S)-nafenodone, sodium current, antidepressants; papillary muscles, guinea-pig, 638
urate reabsorption, uricosuric agents, AA-193; kidney, rats, 532
uricosuric agents, AA-193, urate reabsorption; kidney, rats, 532

V

valproate, t-S-butylbicyclophosphorothionate, GABAergic transmission, antiepileptic action; cerebral cortex, rats, 296
vascular tone, capsaicin, sensory nerves, vasoactive peptides; intestinal circulation, rats, 179
vasoactive peptides, vascular tone, capsaicin, sensory nerves; intestinal circulation, rats, 179
vasoconstriction, nicotine, adrenoceptors; coronary vessels, dog, 65
vasodilation, adenosine receptors, post-exercise hyperemia, microcirculation; skeletal muscle, 52
vasodilation, N-nitro-L-arginine, nitric oxide, neurotransmission; temporal artery, dog, 221
vasorelaxation, cromakalim, glibenclamide, potassium channel openers; cerebral arteries, cat, rabbit, rats, 384
veratridine, acetylcholine, phasic contraction, ouabain; taenia coli, guinea-pig, 574